

Model	Standard	Category
W-6038 Green	EN ISO 20345:2011	S5 SRC

**Images**



- Upper:** High Quality Water Proof PVC Material
- Lining:** Abrasion Resistant Fabric Mesh
- Outsole:** Heavy Duty PVC Material
- Tested :** By UK Intertek Lab (Appoved body:0362)
- Toe:** Steel Toecap to Resist 200 Joules Impact
- Penetration:** Steel Plate to Resist 1100 Newtons Puncture
- Size:** Euro 37-47#, UK 3-13# , US 4-14#
- Color:** Available for Black, Yellow, Green, White etc

SRC (SRA+SRB)		Sole PU - PU	
<b>SRA</b> CERAMIC EAU ET	0.32 0.48	0.52 0.48	
<b>SRB</b> TEX GLUCERINE	0.18 0.32	0.23 0.18	

**Outsole Material:**

The outsole is made of 100% High quality PVC mateails, which is soft and shock absorption, tough and abrasion resistant. The outsole can pass SRC slip-resistant test.



**Toecap Protection:**



Steel toe cap can reach 200 joules from falling object. It is light and anti-magnet, compared with Iron toe cap.

**Weight & Packages**

- Weight: 1.7-1.9 KGS/Pair (Depands on size)
- Each pair is packed in one transparent polybag.
- 10 pairs are packed in one carton, carton size: 65\*50\*32CM

**User Instructions & Storage**

- RECOMMENDED TO USE:** Basic workplaces, Construction, Farming, Agriculture, Garden, Car repair shop, Food industry, Cleaning, Mining etc.
- LIMITATION TO USE:** It is very important that footwear selected must be suitable for the right workplaces. The protection against risks or hazards which are not mentioned in this document is not warranted.
- FITTING & SIZE:** All footwear are marked with standard size on footwear itself. Some with different size comparison, such as EU size, US size, UK size etc. Please wear footwear by a suitable size. Footwear which are too loose or too tight may not provide optimum level of protection.
- STORAGE:** Keep in its original packaging, under ordinary temperature and non-humidity conditions and in clean, covered and ventilated premises.
- CLEANING:** Clean footwear regularly by high quality cleaning treatments recommended as suitable for the purpose. Don't use caustic or corrosive cleaning agents.

**Penetration Protection:**



Steel plate, to resist 1100 newtons nail puncture from sharp object. It is more light, flexible and anti-magnet, compared with Iron plate.