









CAT



旋具接头

Bit Adaptor

60 CRV



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WT5381E	3/8"(10mm)-5/16"	29	15	15	24g			7.4
WT5122E	1/2(12.5mm)	39	22	22	70g			9.3

19MM 加力杆

3/4" Extension bar

CS



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WT4342B	3/4*525mm				1635g	1	20	90.3

火花塞套筒

Spark plug socket

60 CRV



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WT5381F	3/8*16mm	65	22	22	97g			11.2
WT5382F	3/8*21mm		0		153g			13.9
WT5123F	1/2*16mm	64	22	22	88g			10.9
WT5124F	1/2*21mm	64	28	28	140g			14.3

19MM L型扳手

3/4" L type wrench

60 CRV



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WR5015T	3/4*380mm	380	24	95	1637g	2	16	97.6

19MM 重型转向头

3/4" Universal joint

CS



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WT54340D								80.9

L型双头扳手

L type double head wrench

60 CRV



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WR5010T	1/2*10"	200	19	67	400g	10	40	23.7
WR5012T	1/2*12"	295	14	80	417g	10	40	27.6

19MM 活络扳杆

3/4" F bar

CS



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WT4020A	3/4*495mm					1	20	90.3

快速摇杆

Speed brace wrench

HCS



NO.	Spec.	L<mm>	W<mm>	H<mm>	重量	件数	包装	¥
WR5001S						1	30	32.8