Wooden Fire Door







Certified with ANSI/UL10C UL10B CAN/ULC-S104/EN/BS

20 minutes up to 90 minutes fire rating Single Door customized Max Size: 4*8 feet



Certified with ANSI/UL10C UL10B CAN/ULC-S104/EN/BS
20 minutes up to 90 minutes fire rating
Double Door customized Max Size:
8*8 feet
Available with panic bar



Certified with ANSI/UL10C UL10B CAN/ULC-S104/EN/BS

20 minutes up to 90 minutes fire rating
Double Door customized Max Size: 8*8 feet
Available with panic bar







Certified with ANSI/UL10C UL10B

CAN/ULC-S104/EN/BS

20 minutes up to 90 minutes fire

rating

Double Door customized Max Size:

8*8 feet

Available with panic bar

PAGE-17







Certified with ANSI/UL10C UL10B CAN/ULC-S104/EN/BS

20 minutes up to 90 minutes fire rating

Single Door customized Max Size: 4*8 feet







Certified with ANSI/UL10C UL10B CAN/ULC -S104/EN/BS

20 minutes up to 90 minutes fire rating Double Door customized Max Size: 8*8 feet Available with panic bar











Certified with ANSI/UL10C UL10B CAN/ULC-S104/EN/BS
20 minutes up to 90 minutes fire rating

Double Door customized Max Size:

8*8 feet

Available with panic bar